



## Wallpaper prepasted watercolor blue arch



**Manufacturer:** Ambiance-sticker

**Reference:**col-pp-ROS-D340

**Price:** ~~59.00€~~34.90€

Offer valid from 16/05/2023 to 09/02/2060

### Options:

*Size (HxL) :* M - H90 x L30 cm, L - H140 x L45 cm (+ 30.00€), XL - H185 x L60 cm (+ 60.00€)

*Direction :* Normal, Reverse

### Description:

Wallpaper pre-pasted decals for your interior decoration!

With the **wallpaper** non-woven and pre-paster and this \_nameofproduct\_, you can finally decorate the interior of your apartment or house as you wish! quick to apply with only water, without glue and without air bubbles!

Description:

The board is made up of 2 **pieces multicolored prepasted wallpaper**.

The H90 x W30 cm board consists of 2 **brown half arch wallpapers** H90 x W15 cm.

The H140 x W45 cm board consists of 2 **brown half arch wallpapers** H135 x W22.5 cm.

The H185 x W60 cm board consists of 2 **brown half arch wallpapers** H180 x W30 cm.

Superior quality: thick and soft to the touch non-woven **wallpaper**.

Application:

Easy apply - just spray water - no need for paste or glue. Repositionable in the first minutes Let dry

Technical informations:

Brand: Aquapaper® **wallpaper** - made in France Thickness: 290µm (thick) - grammage 175g / m<sup>2</sup> - allows easy installation without air bubbles. Resists tearing Pre-pasted: no need for glue. Spray the length and the wall with water then apply to the wall. Repositionable during installation Material: non-woven based on cellulosic and polyester fibers bound by an acrylic. The wallpaper has a slightly grainy surface that is soft to the touch - not smooth Rendering: satin Washable: yes Scratch resistant: yes Eco friendly: PVC and solvent free Printing: high definition rendering with water-based latex ink, solvent-free Connections: edge-to-edge Flame retardant: fire resistant Certifications: meets European standards - Euroclass C-s1, d0 Application surface: placo, plaster, gyproc, fiberglass, wood, metal, painted concrete, painted wall, and any other type of non-porous surface. Not suitable for rough concrete or very porous surfaces

**Quick and easy installation: spray water, apply and it's done!**



Nouveau !

# Le papier peint intissé pré-encollé

Un spray, de l'eau  
5 minutes de pose: **FACILE !**

Pas besoin d'être un PRO du BRICO !

Where can I stick this wall sticker? The **wallpaper pre-pasted** is perfect to enhance any room in your home.

**How to put a wall decal**



## Technical specification

**Type of vinyl:** Avery Dennison® 500 Event Film Matt / Orafol Orajet® 3164-XMRA matt **Lifetime:** 5 years **Thickness:** 0,1 mm **Removable:** yes. Removes without trace **Waterproof:** yes **Washable with water:** yes **Resistance to solvents:** yes **Toxic:** no **Flammable:** no (norm NF P 92-501 - M1) **Smell:** none **Type of adhesive:** acrylic glue **Temperature resistance:** From -40 to 85°C **Origin:** Made in France and Belgium

\* Applies to all our vinyl printed and cut to measure. Not applicable for blackboards, phosphorescent, whiteboards and other types of materials

[Link to the product](#)